Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/US05/006374

International filing date:

28 February 2005 (28.02.2005)

Document type:

Certified copy of priority document

Document details:

Country/Office: US

Number:

60/549,714

Filing date:


03 March 2004 (03.03.2004)

Date of receipt at the International Bureau: 31 March 2005 (31.03.2005)

Remark: Priority document submitted or transmitted to the International Bureau in

compliance with Rule 17.1(a) or (b)





ANTO BE BELLEVILLE CONTRACTOR BY THE BY THE CONTRACTOR BY THE B

<u> 110.AM, TOWNOM THESE, PRESENTS; SHAME (AMES</u>

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

March 22, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE.

APPLICATION NUMBER: 60/549,714
FILING DATE: March 03, 2004

RELATED PCT APPLICATION NUMBER: PCT/US05/06374

Certified by

Linder Secretary of Commerce

Under Secretary of Commerce for Intellectual Property and Director of the United States Patent and Trademark Office



PTO/SB/16 (01-04) Approved for use through 07/31/2006. OMB 0651-0032

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PROVISIONAL APPLICATION FOR PATENT COVER SHEET This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c).

Express Mail Label No. EV 290542467 US INVENTOR(S) Given Name (first and middle [if any]) Family Name or Surname Residence (City and either State or Foreign Country i. . Paul Stoeppelwerth Alpharetta, Georgia separately numbered sheets attached hereto Additional inventors are being named on the TITLE OF THE INVENTION (500 characters max) CONDUIT MANAGER AND IMPROVED CONDUIT RECEIVING MANIFOLD Direct all correspondence to: CORRESPONDENCE ADDRESS Customer Number: 24350 : -OR Firm or Individual Name Address Address City State Telephone Fax Country **ENCLOSED APPLICATION PARTS (check all that apply)** Specification Number of Pages 24 **V** Drawing(s) Number of Sheets 2 Other (specify) Return postcard Application Data Sheet, See 37 CFR 1.76 METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT FILING FEE Applicant claims small entity status. See 37 CFR 1.27. Amount (\$) A check or money order is enclosed to cover the filing fees. The Director is herby authorized to charge filing 80.00 fees or credit any overpayment to Deposit Account Number: Payment by credit card. Form PTO-2038 is attached. The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government. No. Yes, the name of the U.S. Government agency and the Government contract number are: [Page 1 of 2] Date March 3, 2004 Respectfully submitted SIGNATURE 1/0 REGISTRATION NO. 44,842

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

TYPED or PRINTED NAME Paul E. Knowlton

TELEPHONE 404-739-8800

(if appropriate)

Docket Number: ST319/000ST

This collection of information is required by 37 CFR 1.51. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR, 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Mail Stop Provisional Application, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

PTO/SB/17 (10-03) Approved for use through 07/31/2006. OMB 0651-0032

Counder the Paperwork Reduction Act of 1	95, no persons are requi-	red to r		ademant Office; U.S. DEPARTMENT OF COMMERC	
ਤੋਂ FEE TRANSMITTAL			.e. Complete if Known		
9 LEE I KAIN	DIVILLIA	L	"Application Number		
for FY 2004 Effective 10/01/2003. Patent fees are subject to annual revision.			Filing Date		
			First Named Inventor	Paul Stoeppelwerth	
			Examiner Name		
X Applicant claims small entity status. See 37 CFR 1.27			Art Unit		
TOTAL AMOUNT OF PAYMENT	(\$) 80.00		Attorney Docket No.	ST319/000ST	J
METHOD OF PAYMENT (check all that apply)			FEE CALCULATION (continued)		
X Check Credit card Money Order	Other None		ADDITIONAL FEES		

METHOD OF PAYMENT (check all that apply)	FEE CALCULATION (continued)			
X Check Credit card Money Other None	3. ADDITIONAL FEES			
Deposit Account:	Large Entity - Small Entity			
Deposit F02752	Fee Fee Fee Fee Fee Description Code (\$) Fee Paid			
Account S02752	1051 130 2051 65 Surcharge - late filing fee or oath			
Deposit Account Stites & Harbison	1052 503 2052 25 Surcharge - late provisional filing fee or			
Name	cover sheet 1053 130 1053 130 Non-English specification			
The Director is authorized to: (check all that apply) Charge (ee(s) indicated below Credit any overpayments	1812 2,520 1812 2,520 For filing a request for ex parte reexamination			
Charge fee(s) indicated below Credit any overpayments Charge any additional fee(s) or any underpayment of fee(s)	1804 920 1804 920 Requesting publication of SIR prior to			
Charge fee(s) indicated below, except for the filing fee	Examiner action 1805 1.840* 1805 1.840* Requesting publication of SIR after			
to the above-identified deposit account.	1805 1,840° 1805 1,840° Requesting publication of SIR after Examiner action			
FEE CALCULATION	1251 110 2251 55 Extension for reply within first month			
1. BASIC FILING FEE	1252 420 2252 210 Extension for reply within second month			
Large Entity Small Entity	1253 · 950 · 2253 · 475 Extension for reply within third month			
Fee Fee Fee Fee Description Fee Paid Code (\$) Code (\$)	1254 1,480 2254 740 Extension for reply within fourth month			
1001 770 2001 385 Utility filing fee	1255 2,010 2255 1,005 Extension for reply within fifth month			
1002 340 2002 170 Design filing fee	1401 330 2401 165 Notice of Appeal			
1003 530 2003 265 Plant filing fee	1402 ^ 330 2402 165 Filing a brief in support of an appeal			
1004 770 2004 385 Reissue filing fee	1403 290 2403 145 Request for oral hearing			
1005 160 2005 80 Provisional filing fee 80.00	1451 1,510 1451 1,510 Petition to institute a public use proceeding			
SUBTOTAL (1) (\$) 80.00	1452 -110 -2452 55 Petition to revive - unavoidable			
2. EXTRA CLAIM FEES FOR UTILITY AND REISSUE	1453 1,330 2453 665 Petition to revive - unintentional			
Fee from Ext <u>ra Claims below Fee Paid</u>	1501 1,330 1,2501 665 Utility issue fee (or reissue) 1502 480 2502 240 Design issue fee			
Total Claims	1503 640 2503 320 Plant issue fee			
Independent -3** X X	1460 130 , 1460 130 Petitions to the Commissioner			
Multiple Dependent =	1807 50 1807 50 Processing fee under 37 CFR 1.17(q)			
Large Entity Small Entity	1806 180 1806 180 Submission of Information Disclosure Stmt			
Fee Fee Fee Fee Fee Description Code (\$) Code (\$)	8021 40 Recording each patent assignment per property (times number of properties)			
1202 18 2202 9 Claims in excess of 20	1809 '770' 2809 385 Filling a submission after final rejection			
1201 86 2201 43 Independent claims in excess of 3	(37 CFR 1.129(a))			
1203 290 2203 145 Multiple dependent claim, if not paid 1204 86 2204 43 "Reissue independent claims	1810 .770 2810 385 For each additional invention to be examined (37 CFR 1.129(b))			
1204 86 2204 43 ** Reissue independent claims over original patent	1801 770 2801 385 Request for Continued Examination (RCE)			
1205 18 2205 9 ** Reissue claims in excess of 20 and over original patent	1802 900 1802 900 Request for expedited examination of a design application			
	Other fee (specify)			
SUBTOTAL (2) (\$) -U-	*Reduced by Basic Filing Fee Paid SUBTOTAL (3) (\$) -0-			

SUBMITTED BY (Complete (if applicable)) Name (Print/Type) Paul E. Knowlton 44,842 Telephone 440-739-8800 (Attorney/Agent) Paul E Frontex Mo Signature

WARNING: Information on this form may become public. Credit card Information should not be included on this form. Provide credit card information and authorization on PTO-2038.

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

CERTIFICATE OF EXPRESS MAILING 'EV270542467US

Inventor:

Paul Stoeppelwerth.

Title:

CONDUIT MANAGER AND IMPROVED CONDUIT RECEIVING

MANIFOLD

Atty. Docket: ST319/000ST

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as Express Mail in an envelope addressed to:

MAIL STOP PROVISIONAL PATENT APPLICATION
Commissioner for Patents
P. O. Box 1450
Alexandria, VA 22313-1450

n ____

Date

Signature

Typed or printed name of person signing Certificate

Enclosures:

- Provisional Application for Patent Cover Sheet
- Provisional Patent Application including:
 - 24 sheets of specification
 - 2 sheets of drawings
- Fee Transmittal
- Check in the amount of \$80.00 for filing fee
- Return postcard

CONDUIT MANAGER AND IMPROVED CONDUIT RECEIVING MANIFOLD PROVISIONAL PATENT APPLICATION

10 FIELD OF THE INVENTION

The present invention relates to a conduit manager, and, more particularly, to a receiving manifold with a conduit manager that gathers, stores and protects the conduits while providing a protective cover over the connection points at the manifold, such as the electrical cords, plugs and structure associated with a power supply strip.

15

20

5

BACKGROUND OF THE INVENTION

It is to be understood, that the term "conduit" used herein, including in the claims, includes all manner of cords, cables, lines, wires, hoses, filaments, pipes, tubes, ribbons, tape and the like, whether flexible or rigid, associated in any way with supplying or receiving electrical, mechanical, chemical, pneumatic, hydraulic, and the like subject matter. In addition, the term "manifold" used herein, including in the claims, is used in the broadest sense to include any chamber or device with an outlet for supplying or receiving said subject matter.

It is all too common that a power supply is simply a mass of cords, including those having two-prong plugs, grounded plugs, power converters and the like. The mass of cords pose issues of frustration and safety to surrounding persons and area. Present safety manufacturing has recognized the safety concern of the mass of cords from one power strip. For example, there exists a power strip cover that encases the power strip with a center slot through which individual cords can exit. One purpose behind this is to prevent a small child from accessing electrical plugs and outlets. Another purpose of the apparatus is forced organization of the cords due to the center slot's width.

Another example of an attempt to provide a cord manager discloses a method and kit for securing cord connections to an electronic device by sitting an electronic device on a flexible pad and securing the connecting cords to the pad. In this manner, the cords are organized and secured. Another attempt to organize and secure cords includes a resilient fabric pack comprising attached pockets, with closures, through which outlets or apertures used in running a computer may exit. However, what is not disclosed by devices or otherwise known is a reference that teaches organizing, securing and storing a plurality of conduits, together with a manifold, and providing a protective cover over the entire assembly. Thus, a need exists in the field of conduit management to address these deficiencies and inadequacies.

DESCRIPTION OF THE FIGURES

5

10

15

- FIG. 1 is a side view of an embodiment of the present invention having a power strip with an attached conduit management apparatus;
 - FIG. 2 is a top view of an embodiment of FIG. 1; and
 - FIG. 3 is an interior view of the conduit management apparatus of FIG. 1.

DESCRIPTION OF THE INVENTION

10

15

20

One embodiment of the present invention is a conduit manager that gathers, stores and protects conduits while also protecting the connection points, such as the plugs and associated power connection. Another embodiment of the present invention is a combination of the conduit manager and manifold. In this case, a power supply cable and protective organizing cover.

It will be understood by those skilled in the art that the conduit manager and manifold described herein is applicable in a litany of industries and applications. By way of example and not limitation, the present invention may be applied in the medical, hospital or healthcare industries in conjunction with tubes carrying fluids or gases connected to equipment or wall outlets; in the communications industries in conjunction with electrical cords connected to equipment or wall outlets; in the computing and data processing environment with routing cables connected to related equipment; or, in the industrial environment in conjunction with hydraulic or pneumatic hoses connected to supply sources or equipment.

It will be understood the conduit manager may be used by itself to store conduit that is not in use. It will be further understood that the conduit manager may be used to protect connections between conduits, that is, to protect conduits and connections only in the absence of a manifold.

For the purposes of illustration and teaching, and not limitation, the present invention will be described most frequently with reference to an embodiment that comprises a manifold which is an electric power strip.

FIG. 1 is a side view of a conduit manager 10, made in accordance with the present invention, having a power strip 12 with an attached conduit management apparatus 16. The

FIG. 1, the power strip 12 has a plurality of conduits 18, 20 which are secured to the conduit management apparatus 16 by securing loops 22 and fed out of the conduit manager 10 at an exit point 24. Additionally, as illustrated in FIG. 1, the conduit management apparatus 16 is attached to the power strip base 14 at a plurality of interface points 26, 28.

5

10

15

20

Furthermore, with respect to the FIGS. 1-3, in this embodiment the materials of manufacture may add novelty to the invention. For example, the conduit management apparatus 16 may be made of a flexible heat and flame resistant material, or breathable material, or tamper-resistant and lockable material. Locks, seals, fasteners and the like may be included to prevent access to the points of connection or manifold. The flexible material here allows the apparatus 16 to cap the power strip 12 as well as to accommodate varying size plugs that may be plugged into the power strip 12. In the illustrated embodiment, this flexible material is flame resistant canvas and fully sealable at all conduit access points.

FIG. 3 illustrates the interior of the conduit management apparatus 16. Specifically, this view illustrates the plurality of securing loops 22, which secure individual conduits 18, 20 for conduit management. Specifically, in the illustrated embodiment the securing loops 22 are Velcro® loops that restrain individual conduits, accepting loops of extra conduit in order to minimize the amount of excess conduit outside the conduit manager 10. It will be understood that other securing mechanisms besides the identified Velcro® could be utilized as securing points 22, including but not limited to elastic loops, clips, clamps, latches, twist ties, spools, snaps, ties and the like. Similarly, any of these means for fastening could be used to close and seal conduit access points.

FIGS. 1 and 2 illustrate that the conduit management apparatus 16 and the power strip 12 are attached at a plurality of interface points 26, 28 on the power strip base 14. In an embodiment shown, the power strip base 14 and the power strip 12 are simply different areas of one power strip housing 30. The interface points 26, 28 are by attachment means between the two components, as the power strip base 14 and the conduit management apparatus 16. As illustrated in FIG. 2 where the conduit management apparatus 16 is in a closed position, the Velcro® is attached to each distal end of the power strip base 14 and similarly to the aligned conduit management apparatus 16. This Velcro® distribution allows for marrying of the power strip base 14 and apparatus 16 to create a Velcro® bond, creating the housing of the conduit manager 10 as the exterior skin of the conduit management apparatus. It is conceived that the conduit management apparatus 16 could simply marry to itself and encapsulate the entire power strip 12, including the power strip base, for conduit management. It is further conceived that a separate base could exist, such as with a non-skid tread, that the apparatus could marry for housing the conduit manager 10.

5

10

15

20

For further explanation of the components and construction of an exemplary embodiment of a conduit manager made in acconduitance with the present invention attached hereto is Exhibit A incorporated herein entirely by this reference.

It should be emphasized that the above-described embodiments of the present invention, and any identified preferred embodiments, are merely examples of implementations, used to provide a clear understanding of the present invention. It will be obvious to those skilled in the art that many variations and modifications may also be made to an embodiment described herein without departing from the spirit and scope of the present invention. All such variations and modifications are intended to be included herein within the scope of this disclosure.

SAMPLE CLAIM

What is claimed is:

1. In combination with a power supply strip, a cover comprising:

5 an exterior surface;

an interior surface opposite said exterior surface, including means for securing


27.


power conduits; and


means for limiting access to said power conduit.

10

ST319:000ST:362191:LOUISVILLE







This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

	·	
	☐ BLACK BORDERS	
	☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES	
·/	FADED TEXT OR DRAWING	
/	BLURRED OR ILLEGIBLE TEXT OR DRAWING	
	☐ SKEWED/SLANTED IMAGES	
	☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS	
	GRAY SCALE DOCUMENTS	
/	LINES OR MARKS ON ORIGINAL DOCUMENT	
	☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY	
	· —	

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.